






HSM SECURIO B24

HSM SECURIO B24

Mobile, high performance model for desktside use. Shreds credit and store cards with ease as well as CDs (details see below). Multi-function operating button and reversing button. Auto-reverse in the event of a paper jam. Folding safety element, in the security levels 2 and 3 with infeed slot for CDs. Economic energy management (EMCS). Quiet operating sound. Filling level display through inspection window. Removable waste container. Special CD waste container for correctly sorted separation of the shredded material. Made in Germany.

Product type description	SECURIO B24 3,9mm	SECURIO B24 4,5x30mm
Order number	1780111	1783111
EAN Code	4026631025010	4026631025041
Shredder material		
Cutting type	strip cut	particle cut
Security level	2	3
Cutting width	3.9 mm	4.5 mm
Particle length	0 mm	30,00 mm
Cutting capacity (70g/m ²)	22 - 24 sheet	17 - 19 sheet
Cutting capacity (80g/m ²)	19 - 21 sheet	14 - 16 sheet
Intake width	240 mm	240 mm
Container volume	34 l	34 l
Cutting speed	65 mm/s	65 mm/s
Noise level (idle operation)	56 dB	56 dB
Noise level (full load)	59 - 63 dB	59 - 63 dB
eclass 5.1	24320703	24320703
UN/SPSC	44101603	44101603
Power consumption of the motor	500 W	500 W
Voltage	230 V	230 V
Frequency	50 Hz	50 Hz
Warranty period (months)	24	24
Depth	317 mm	317 mm
Width	395 mm	395 mm
Height	605 mm	605 mm
Weight	18 kg	20.5 kg

HSM SECURIO B24

Product type description	SECURIO B24 1,9x15mm
Order number	1782111
EAN Code	4026631025034
Shredder material	
Cutting type	particle cut
Security level	4
Cutting width	1.9 mm
Particle length	15,00 mm
Cutting capacity (70g/m ²)	11 - 13 sheet
Cutting capacity (80g/m ²)	9 - 11 sheet
Intake width	240 mm
Container volume	34 l
Cutting speed	65 mm/s
Noise level (idle operation)	56 dB
Noise level (full load)	59 - 63 dB
eclass 5.1	24320703
UN/SPSC	44101603
Power consumption of the motor	500 W
Voltage	230 V
Frequency	50 Hz
Warranty period (months)	24
Depth	317 mm
Width	395 mm
Height	605 mm
Weight	20.5 kg